# Weighing the child: Are we getting it right?

## Ibrahim Aliyu, Abdulsalam Mohammed

Department of Paediatrics, Aminu Kano Teaching Hospital, Bayero University Kano, Kano, Nigeria

## **Abstract**

Background: The weighing scale is vital to pediatric practice especially in calculation of drug dosages and anthropometric assessment. Occasionally, it may be difficult measuring the actual weight of a child; weight estimation comes handy. Several estimation methods have been developed, some peculiar to some settings. It is common practice in weight estimation to subtract maternal weight from the combined maternal and child's weight, in-order to derive an estimated child's weight. However, this method has not been validated to the best of our knowledge. Therefore, this study seeks to establish if this method is accurate. Materials and Methods: This study was prospective cross-sectional with a systematic random sampling design. This included children aged 0-5 years; their weights were measured using bassinet weighing scales and the beam balance stand for children less than and more than 3 years respectively. Results: There were 409 subjects recruited, 239 (58.4%) males and 170 (41.6%) female with male to female ratio of 1.4:1. The mean weights were higher in the estimation group, but these were not statistically significant. Proportion of agreement within 10% of the actual weight showed remarkable agreement in all age groups. The highest percentage difference observed was 26% and the mean percentage difference for the different ages being <5%, while the square of the difference between both methods was 0.18 ± 0.83. However, the actual weight was underestimated in 23.7% of cases. **Conclusion:** This "crude method" is an efficient alternative method of weight estimation in Nigerian children.

Key words: Crude method, Measurement, Nigerian children, Weight estimation

#### INTRODUCTION

The act of weight taking dates back to 24,000-1800 BC in the region of the Indus River Valley which is now in modern-day Pakistan, whereby uniformly polished cube stone of known weight were used to estimate the weight of goods during trading, [1] over the years, various weighing scales have been developed for this purpose. [2,3] The weighing scale has also been adopted into medical practice especially in pediatrics. [4,5] It is used as a tool for anthropometric assessment in growth and development of children; it is equally useful in pediatric drug prescriptions, therefore correct weight determination is important in order to avoid erroneous drug prescription;

Access this article online			
	Quick Response Code		
Website:	(a) 2 4 botton		
www.jomip.org	高数減過		
DOI:	73		
10.4103/9783-1230.144771			

because some errors are not permissible especially when dealing with potentially toxic drugs.

While different weighing scales are readily available for different clinical states<sup>[6-8]</sup> in developed countries, such is not the case in developing countries; it is a common practice in our setting for parents or caregivers carrying sick recumbent child while taking the combined weight of both caregiver and sick child and subsequently subtracting the weight of the caregiver from the combined weight in order to establish an estimated weight of the sick child in a situation where a recumbent weighing scale or Broselow's tape is not available.

Weight is dependent on mass and the gravitational force field acting on it, which may be dependent on the distance of the object from the earth's center of gravity, just as the earth's gravitational pull has an impact on the blood pressure in different positions; a child lifted off the surface during weight measurement may have a different weight measurement while standing child. Therefore, there may be variation in results of weight estimation when different weighing techniques are adopted such as subtracting caregivers weight from combined

#### Address for correspondence:

Dr. Ibrahim Aliyu, Department of Paediatrics, Aminu Kano Teaching Hospital, Kano, Kano, Nigeria. E-mail: ibrahimaliyu2006@yahoo.com

child/caregivers weight. Therefore, are we really doing the correct thing using this method? This study sets out to determine if there is any difference in the estimated weight of children using the method of subtracting the weight of the caregiver from the combined weight of the child and caregiver, compared to actual weight measurement using appropriate weighing scale.

## MATERIALS AND METHODS

This study was prospective cross-sectional done between May 2014 and July 2014, and a systematic random sampling design was adopted. Children attending the Pediatric Outpatient Clinic and the Pediatric Emergency Unit were enrolled after obtaining permission from the Ethics Committee of Aminu Kano Teaching Hospital, Kano and also getting consent from their parents. This included children aged 0-5 years. The subjects were lightly dressed and their weights were measured (in kg) using bassinet weighing scales (model 180 salter for children <3 years), whereas the beam balance stand was used for children  $\geq 3$  years. The weight of the subjects combined with the caregiver was taken together, afterward the weight of the caregiver alone was taken: this was subtracted from the combined weight to get the estimated weight of the child; finally the actual weight of the child was taken for comparison. All results were entered into a proforma designed for each subject. Uncooperative children making it difficult to take their weight were excluded.

## Data analysis

Data generated were analyzed using Statistical Package for Social Sciences (SPSS) version 16; tables were constructed and summarized using means, percentages and relevant variables were compared using Student's t-test of significance, while P < 0.05 was set as being statistically significant.

## **RESULTS**

There were 409 subjects enrolled, 239 (58.4%) males and 170 (41.6%) female male to female ratio of 1.4:1. Majority of those studied were within 1 year of age.

There were 173 (42.3%) subjects in the 1-year group, 105 (25.7%) in the 2-year group, 64 (15.6%) in the 3-year group, 34 (8.3%) in the 4-year group, and 33 (8.1%) in the 5-year group.

The mean weight was higher in the estimated group, but they were not statistically significant [Table 1].

Proportion of agreement within 10% of the actual weight for the various age groups showed remarkable agreement in all age groups, especially in the 2-5 years age bracket [Table 2].

The highest percentage difference observed was 26.0% however the mean percentage difference for the different ages were <5.0%. The square of the difference between both

methods was  $0.18 \pm 0.83$ . However, the actual weight was underestimated in 23.7% of cases [Table 3].

## **Bland Altman plot**

The plot of the difference between both methods and the average of their means showed significant agreement between both methods: Estimate of the mean difference was 0.06 (95% CI of 0.021-0.094); estimate of 95% lower level of agreement of -0.68 (95% CI of -0.738 to -0.614); estimate of 95% upper level of agreement of 0.79 (95% CI of 0.728-0.852) [Figure 1].

This showed lower bias, especially among those between 3-5 years [Table 4].

Tabl	Table 1: Mean weight of the study groups					
Age	Weight measurement	Number	Mean	SD	t	P
1	Weight of patient Weight of child estimation	173 173	5.3803 5.4572	1.92688 1.94981	0.3690	0.7124
2	Weight of patient Weight of child estimation	105 105	8.5219 8.5524	1.81224 1.82641	0.1215	0.9034
3	Weight of patient Weight of child estimation	64 64		2.02303 2.10440	0.1329	0.8945
4	Weight of patient Weight of child estimation	34 34	13.0941 13.1324	1.98203 2.01626	0.0790	0.9373
5	Weight of patient Weight of child	33 33	14.5758 14.6515	1.85877 1.83493	0.1665	0.8683

\*Weight of patient is the actual weight of the child measured using weighing scale, Weight of child estimation is the weight of the child estimated from subtracting weight of caregiver from the combined weight of the child and cargiver. SD - Standard deviation

Table 2: Proportion of agreement within 10% of the actual weight of the study population

Age of patient	Agreement	Frequency	Percentage
1	Agree	131	75.7
	Disagree	42	24.3
	Total	173	100.0
2	Agree	96	91.4
	Disagree	9	8.6
	Total	105	100.0
3	Agree	62	96.9
	Disagree	2	3.1
	Total	64	100.0
4	Agree	34	100.0
	Disagree	0	0.0
	Total	34	100.0
5	Agree	33	100.0
	Disagree	0	0.0
	Total	33	100.0

Table 3: Percentage difference of weight estimation

Αç	ge of patient	n	Minimum	Maximum	Mean	SD
1	Percentage difference	173	-7	26	2.72	6.512
	Percentage difference		-8	15	1.04	4.794
3	Percentage difference	64	-9	15	0.62	3.466
	Percentage difference		-5	4	0.26	2.035
5	Percentage difference	33	-3	4	0.58	1.582

SD - Standard deviation




Figure 1: Bland Altman plot of the difference and average of both methods

Table 4: Estimates of bias and their limits of agreement

Age	n	Weight estimation			
range		Bias	Limit of agreement		
1	173	0.2948	1.02-(-0.43)		
2	105	0.2924	0.92-(-0.34)		
3	64	0.1828	0.83-(-0.47)		
4	34	0.1265	0.56-(-0.31)		
5	33	0.1061	0.52-(-0.31)		
Total	409	1.0022	3.86-(-185)		

## **DISCUSSION**

The performances of various weight estimation methods in different settings have produced variable results. Some of these weight estimation methods [9-12] are still alien in most resource-limited settings; furthermore in countries with high indices of malnutrition use of weight estimation formula derived from developed countries may be inappropriate. The advanced pediatric life support (APLS) formula (2x + 8) has been used extensively in Nigeria but has not been validated among Nigerian to the best of the authors knowledge. The APLS formula has witnessed several changes over the years due to its underestimation of actual weights in some population. [13,14]

Geduld *et al.*,<sup>[15]</sup> in cape Town South Africa and House *et al.*,<sup>[16]</sup> in Western Kenya reported better performance of Broselow and APLS while that was not the case with that of Abdel-Rahman *et al.*<sup>[17]</sup>

Though our method of weight estimation has been in practice for a long time but it has not been validated to the best of our knowledge; it is being used especially in the rural setting where appropriate weighing scale such as a bassinet for younger children is not readily available. This method which I will suggest should be called the "crude method" - for lack of a common name - performed incredibly well; though the mean values of the estimated weight were higher than the actual weight, they were not statistically significant. The proportion of agreement within 10% of the actual weight was impressive ranging from 75% to 100%, which was better than the performance of APLS formula reported by Luscombe *et al.*, [10] and the Brosselow reported by Rosenberg *et al.*, [10] and House *et al.*; [16] similarly the percentage difference

ranged from 0.26% to 1.04% and it underestimated the actual weight in only 32.7% of case especially in the within 1-year group. Hence, the "crude method" had much accuracy and precision; therefore it will serve as an appropriate substitute in situations where actual weight measurement may be difficult, though not a replacement for actual weight measurement. These are common clinical situations we see on daily practices; such as handling toddlers who would not want to be separated from their parents/caregivers during weight taking (separation anxiety)<sup>[18]</sup> or in emergency care where it may be difficult measuring the actual weight of an unconscious child.

#### CONCLUSION

The "crude method" is an easy and efficient alternative method of weight estimation especially in resource-poor settings where other options like the Broselow tape are not readily available. It could also be generally used in clinical situations where measuring the actual weight of the child is not possible such as an unconscious child.

#### REFERENCES

- Petruso KM. Early weights and weighing in Egypt and the Indus Valley. (Boston Mus Fine Arts). M Bull 1981;79:44-51.
- Sanders LA. Short History of Weighing. Revised 1960. Birmingham, England: W and T Avery Ltd.; 1947.
- Weaver LT. In the balance: Weighing babies and the birth of the infant welfare clinic. Bull Hist Med 2010;84:30-57.
- History of neonatal weighing. Nutr Rev 1962;20:244-5. Available from: http://onlinelibrary.wiley.com/doi/10.1111/j.1753-4887.1962.tb04647.x. [Last accessed on 2014 Jan 10].
- Training course on child growth assessment. WHO child growth standards. Measuring a child's growth. Available from: http://www.who. int/childgrowth/training/module\_b\_measuring\_growth. [Last accessed on 2014 Jul 10].
- Dziaczkowski I. A bed scale for weighing the patients in recumbent position. Pol Tyg Lek 1965;20:1246-7.
- Stevenson FH. Ward weighing-machine for recumbent patients. Br Med J 1949;2:1470.
- Madorsky A. Weighing of wheelchair-bound patients. Arch Phys Med Rehabil 1976;57:594.
- Luscombe MD, Owens BD, Burke D. Weight estimation in paediatrics: A comparison of the APLS formula and the formula 'Weight=3(age)+7'. Emerg Med J 2011;28:590-3.
- Rosenberg M, Greenberger S, Rawal A, Latimer-Pierson J, Thundiyil J. Comparison of Broselow tape measurements versus physician estimations of pediatric weights. Am J Emerg Med 2011;29:482-8.
- 11. Ali K, Sammy I, Nunes P. Is the APLS formula used to calculate weight-for-age applicable to a Trinidadian population? BMC Emerg Med 2012:12:9
- Argall JA, Wright N, Mackway-Jones K, Jackson R. A comparison of two commonly used methods of weight estimation. Arch Dis Child 2003;88:789-90.
- Dicko A, Alhousseini ML, Sidibé B, Traoré M, Abdel-Rahman SM. Evaluation of the Mercy weight estimation method in Ouelessebougou, Mali. BMC Public Health 2014;14:270.
- 14. Wells M, Coovadia A, Kramer E, Goldstein L. The PAWPER tape: A new concept tape-based device that increases the accuracy of weight estimation in children through the inclusion of a modifier based on body habitus. Resuscitation 2013;84:227-32.
- 15. Geduld H, Hodkinson PW, Wallis LA. Validation of weight estimation

- by age and length based methods in the Western Cape, South Africa population. Emerg Med J 2011;28:856-60.
- House DR, Ngetich E, Vreeman RC, Rusyniak DE. Estimating the weight of children in Kenya: Do the Broselow tape and age-based formulas measure up? Ann Emerg Med 2013;61:1-8.
- 17. Abdel-Rahman SM, Ahlers N, Holmes A, Wright K, Harris A, Weigel J, *et al.* Validation of an improved pediatric weight estimation strategy. J Pediatr Pharmacol Ther 2013;18:112-21.
- Beesdo K, Knappe S, Pine DS. Anxiety and anxiety disorders in children and adolescents: Developmental issues and implications for DSM-V. Psychiatr Clin North Am 2009;32:483-524.

How to cite this article: Aliyu I, Mohammed A. Weighing the child: Are we getting it right?. J Med Investig Pract 2014;9:108-11.

Source of Support: Nil, Conflict of Interest: None declared.



#### Announcement

## **Android App**



A free application to browse and search the journal's content is now available for Android based mobiles and devices. The application provides "Table of Contents" of the latest issues, which are stored on the device for future offline browsing. Internet connection is required to access the back issues and search facility. The application is compatible with all the versions of Android. The application can be downloaded from https://market.android.com/details?id=comm.app.medknow. For suggestions and comments do write back to us.